

# **VENMAR AVS CONSTRUCTO 1.5**

Part no. 43110 Canada Part no. 1601602 U.S.A.

70 to 163 CFM (0.3 in. w.g.) 64 to 150 CFM (0.4 in. w.g.)



## CONSTRUCTO SERIES: PERFECT FOR NEW RESIDENTIAL CONSTRUCTIONS

The contractor's priority is to offer affordable improved indoor air quality to the customer. The Venmar AVS Constructo Series is an entry level product that offers all the basic features for the new construction market, such as a small-sized housing, integrated balancing damper and a no negative pressure defrost that ensures quick installation and trouble-free operation. Moreover, its operation can be interlocked with an existing furnace without adding an extra relay. Best price for builders and contractors requiring simple, affordable and reliable products.

- New removable terminal block: To ease optional wall controls connection
- Microprocessors: A proven technology known for its reliability which allows elimination of numerous electromechanical parts that are most likely to break down
- ENERGY STAR® qualified

#### **REPAIRS AND MAINTENANCE**

All parts of the AVS Constructo 1.5 that could need maintenance can be removed in less than 5 minutes, allowing direct access for easy repairs. The PSC motor is permanently lubricated.

#### **WARRANTY**

The AVS Constructo 1.5 HRV is protected by a 2-year warranty on parts only. The heat recovery core is covered by a limited lifetime warranty.

| A i  | 1-1 | ᆈ | ۱. | a+. |
|------|-----|---|----|-----|
| Avai | ld  | U | le | al. |

# **HEAT RECOVERY VENTILATOR**

#### **Controls**

- This unit is very simple to operate: once it is installed, press on its push button, located on the electrical compartment, to activate it. Press once for low speed, once again for high speed and once more to stop it.
- For more convenience, the following main controls are available:

- Lite-Touch Constructo no. 40370 - Constructo no. 40350

• One or more of the following optional controls can be added:


- Dehumidistat no. 11297 - 60-min. mechanical timer no. 00910 - 20-min. lighted push button no. 12030

## **Options**

- · Complete line of registers and diffusers
- Electric duct heater

## Homeshield<sup>™</sup> Defrosting System

The AVS CONSTRUCTO uses a unique defrosting method. No negative pressure is created by air exhausted to the outside, as the air is recirculated into the house, helping to prevent any backdraft.



STALE AIR FROM BULDING

|               | rside<br>Rature | DEFROST CYCLE DEFROSTING MIN./ |  |
|---------------|-----------------|--------------------------------|--|
| °C            | °F              | OPERATING MIN.                 |  |
| WARMER        | WARMER          | No                             |  |
| THAN -5       | THAN 23         | DEFROST                        |  |
| -5 to -27     | 23 to -17       | 6/32                           |  |
| -27<br>& less | –17<br>& less   | 6/20                           |  |

**Heat Recovery Core**Dimensions: 12" x 14" x 15½" (30.5 cm x 35.5 cm x 39.4 cm)

Exchange surface: 102 ft<sup>2</sup> (9.54 m<sup>2</sup>)

Weight: 6.2 lb (2.8 kg)


Material: Polypropylene (coroplast)

Type: Crossflow core Warranty: Limited lifetime

## Requirements and Standards


- Complies with the UL 1812 requirements regulating the installation of Heat Recovery Ventilators
- Complies with the CSA C22.2 no. 113 Standard applicable to ventilators
- Complies with CSA F326 requirements regulating the installation of Heat Recovery Ventilators
- HVI certified and ENERGY STAR® qualified
- Technical data was obtained from published results of tests relating to CSA C439 Standards

### Dimensions and Service Clearances: Venmar AVS CONSTRUCTO 1.5




## Ventilation Performance

| Ехт. | EXT. STATIC NET SUPPLY |          |     | Gross Air Flow |        |     |      |         |     |      |
|------|------------------------|----------|-----|----------------|--------|-----|------|---------|-----|------|
| Pre  | SSURE                  | AIR FLOW |     |                | SUPPLY |     |      | Exhaust |     |      |
| Pa   | in. w.g.               | l/s      | cfm | m³/h           | l/s    | cfm | m³/h | I/s     | cfm | m³/h |
| 25   | 0.1                    | 85       | 180 | 306            | 86     | 182 | 310  | 92      | 194 | 331  |
| 50   | 0.2                    | 82       | 174 | 295            | 82     | 175 | 295  | 86      | 182 | 310  |
| 75   | 0.3                    | 77       | 163 | 277            | 77     | 164 | 277  | 81      | 171 | 292  |
| 100  | 0.4                    | 71       | 150 | 256            | 71     | 151 | 256  | 71      | 151 | 256  |
| 125  | 0.5                    | 67       | 141 | 241            | 67     | 142 | 241  | 57      | 120 | 205  |
| 150  | 0.6                    | 60       | 128 | 216            | 61     | 130 | 220  | 40      | 85  | 144  |
| 175  | 0.7                    | 51       | 108 | 184            | 52     | 110 | 187  | 27      | 57  | 97   |



## Energy Performance

|        | PPLY   |     | ET A |      | Power    | SENSIBLE                  |               | LATENT/RECOVERY |  |
|--------|--------|-----|------|------|----------|---------------------------|---------------|-----------------|--|
| I EMPE | RATURE |     | FLOW | /    | CONSUMED | RECOVERY                  | SENSIBLE      | Moisture        |  |
| °C     | °F     | L/S | CFM  | м³/н | WATTS    | EFFICIENCY                | EFFECTIVENESS | TRANSFER        |  |
| HEA    | TING   |     |      |      |          |                           |               |                 |  |
| 0      | 32     | 31  | 66   | 111  | 62       | 67                        | 79            | -0.01           |  |
| 0      | 32     | 40  | 86   | 144  | 75       | 64                        | 75            | -0.01           |  |
| 0      | 32     | 57  | 120  | 205  | 90       | 61                        | 70            | -0.01           |  |
| -25    | -13    | 38  | 81   | 137  | 83       | 60                        | 76            | 0.02            |  |
| Cod    | DLING  |     |      |      |          | TOTAL RECOVERY EFFICIENCY |               |                 |  |
| +35    | +95    |     |      |      |          | Not tested                |               |                 |  |



NOTE: All specifications are subject to change without notice.

## Specifications and Ratings

- Model: AVS CONSTRUCTO 1.5
- Part Nos.: 43110 Canada, 1601602 U.S.A.
- Total assembled weight (including polypropylene core): 65 lb (29.5 kg)
- Supply and exhaust air duct connections: 6" (15.24 cm) diameter
- Drains: 1/2" (1.2 cm) fittings with 10 ft (3 m) PVC drain
- Filters:15 ppi washable reticulated foam 15.375" x 7.125" x 0.75" (39 cm x 18 cm x 1.9 cm)

- Housing: Pre-painted steel
- Insulation: 1" (2.54 cm) aluminum foil faced fiberglass 0.825" (2.10 cm) expanded polystyrene
- Mounting: Suspension by chains and springs
- Supply & Exhaust blower motor: 1 motor
  - Protection type: Thermally protected
- Insulation class: B
- V (motor marking): 120 VAC, 50/60 Hz,
  1.2/1.0 A, 1050/1300/1660 RPM

- Fan speed control:
- Low, increased low & high speed
- Two speeds available to user
- Low or increased low speed is selected at the time of installation
- Heat recovery core:
- Heat exchange surface area: 102 ft<sup>2</sup> (9.54 m<sup>2</sup>)
- Type: Crossflow
- Material: Polypropylene
- Unit electrical characteristics:

Volts Freq. Amps Watts 120 60 Hz 1.3 150

| Project:      |       | REMARKS |               |
|---------------|-------|---------|---------------|
| LOCATION:     |       |         |               |
| Model no.:    |       |         |               |
| Qтү.:         |       |         | 7 72371 00705 |
| SUBMITTED BY: | Date: |         | 7237100705    |



Residential Product Group, 550 Lemire Blvd., Drummondville, QC, Canada J2C 7W9 - Tel.: 1-800-567-3855 Fax: 1-800-567-1715







